
FENDERS

UWIY

Manual

MAY Ltd. International 国际







Tools you need to mount your fenders:

ALLEN KEYS:

Metric sizes: for (a) screw _ 4 or 5* for (b) screw

Use the (a) screws to mount the two fenders (1 F and 1 B).

Use the (b) screws to mount the two V-struts to the wheel axles (2 B and 2 F).

* depending on your bike model the screw sizes may vary. Please consider when choosing the allen-key during the assembly.

STEP 1:

BACK WHEEL

Mount the metallic V-struts 2B (slightly bigger than 2 F) to the fender 1 B.









There are four holes in the back of the fender. Use the top two holes to mount the v-struts, the other two holes can be used to mount a rear light.







STEP 2:

REAR BRAKES

Remove the back brakes to slide the long screw through the fender fixture and remount the brakes. Make sure the bracket is placed between the washer and the break itself.

STEP 3:

BOTTOM FIXATION

Remove the back wheel if necessary to achieve proper access. Mount the back fender between the two pedals. You will need the following screw and nut (a).






STEP 4:

MOUNT THE BACK WHEEL AXLE

Mount the v-struts to the wheel axle to the top hole with the (b) screws.



Note that the bike models vary and you may have a quick release or hub nuts, but this won't affect the assembly of your fender.



STEP 5:

FRONT FENDER

Mount the metallic V-struts 2F to the fender.









STEP 6:

LOOSEN THE FRONT WHEEL

Loosen the front wheel to create enough space for the fender fixture between the wheel and the headtube.

STEP 7:

FRONT BRAKES

Remove the front brakes to slide the long screw through the fender fixture and remount the brakes. Make sure the bracket is placed between the washer and the break itself.

STEP 8:

MOUNT THE FRONT WHEEL AXLE

Mount the v-struts to the back wheel axle with the (b) screws.





Any struggle with mounting our fenders?

Write us an email, we are happy to help you out as quick as possible.

Contact:

info@may-ltd.com

www.may-ltd.com www.instagram.com/may__ltd

MAY INTERNATIONAL S.A.

Bahnhofstrasse 134 CH-8957 Spreitenbach